



# GUIDELINE

## FOR PRODUCT IMAGES

Second REVISED  
**EDITION**

GUIDELINE FOR PRODUCT IMAGES  
A RECOMMENDATION OF THE ECR AUSTRIA TASK FORCE  
IMAGE & MEDIA DATABASE



# **GUIDELINE FOR PRODUCT IMAGES**

---

STATE: June 2026, VERSION 3.0

## ALL RIGHTS RESERVED

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.

© GS1 Austria GmbH/ECR Austria, 2026

Brahmsplatz 3, 1040 Wien

## CONCEPT AND TEXT

Rene Schweinzger, Produktmanager GS1 Sync

Tel.: +43 /1/ 505 86 01 – 0

Email: gs1sync@gs1.at

GS1 Austria GmbH, Brahmsplatz 3, 1040 Wien

This document is based on GSI standards for the specification and exchange of product images.

## CONTENTINPUT

Participants of ECR Austria task force „Image- & Media-Database“ and the Serviceplattform "Master data"

## COVER PHOTO

@ ECR Austria

### Examples of Product Images:

The following companies kindly provided all examples of images:

Amazon EU S.à r.l.

GS1 Austria GmbH

Kelly Ges.m.b.H.

Markant Österreich GmbH

Metro Österreich GmbH

Nestlé Österreich GmbH

REWE International AG

Unilever Österreich GmbH

GS1 Germany GmbH

We thank the companies of the ECR Austria task force "Image- & Media-Database" for their cooperation:

Agrana Zucker GmbH

Berglandmilch eGen

Billa AG

Brau Union Österreich AG

Coca-Cola HBC Austria GmbH

dm Drogeriemarkt GmbH

Google Austria GmbH

GS1 Austria GmbH

Henkel Central Eastern Europe GmbH

Iglo Austria GmbH

Josef Manner & Comp. AG

Kelly GmbH

Kimberly-Clark GmbH

Maresi Austria GmbH

Markant Österreich GmbH

Metro Cash & Carry Österreich GmbH

Nestlé Österreich GmbH

Nöm AG

Rewe International Lager und Transport Gesellschaft m.b.H.

Rudolf Ölz Meisterbäcker GmbH & Co KG


Spar Österreichische Warenhandels-AG

Stieglbrauerei zu Salzburg GmbH

Unilever Austria GmbH

VOG Einfuhr und Großhandel mit

Lebensmitteln und Bedarfsgütern AG



# TABLE OF CONTENTS

1. Introduction	6
2. Change history	7
3. Updates at a glance	8
4. Areas of application	9
5. Presentation of a consumer good	10
6. Handling of computer generated images	12
7. Clipping path	12
8. Technical requirements for an image file	13
9. Aesthetic requirements for an image	14
9.1. Product packaging	14
9.2. Background	15
9.3. Reflection & plasticity	15
9.4. Shadows & reflections	16
9.5. Retouching	16
9.6. Complete product image	16
9.7. Sharpness	17
9.8. Light setup	17
9.9. Colour	18
9.10. Watermarks	18
10. Naming of an image file	19
10.1. Recommendation for naming the image file - national	19
10.2. Recommendation for naming the image file - international	21
11. Recommendation for the creation of a new image	23
11.1. Creating a new image	23
11.2. Creation of a new image considering certain conditions	26
12. Transmission of the image file	28
13. Terms of use & copyright	29

<b>14. Attachment</b>	<b>30</b>
Attachment A: Examples of professional photographing and professional image processing	30
Attachment B: Examples of a bad clipping path	31
Attachment C: Example of a defective computer generated image	31
Attachment D: Example of a uniform front illustration across different assortments/ variants	32
Attachment E: Examples of the transmission of an image file in the master data exchange	32
Attachment F: Overview of the different image categories incl. examples	36
Attachment G: Structure of the file name using three cases as an example	47





# 1.

## INTRODUCTION

Every day, fast moving consumer goods are presented to the consumer in different media (leaflets, online shops) in a variety of different but often unfavorable ways. Most product shots are done very individually by manufacturers and retailers due to lack of standards and therefore lead to many different versions. Consumers do not want to buy a product that looks different in the original than what they have seen before in the brochure or online, neither do they want to not recognize the product on shelf due to strong colour corrections or misleading perspectives. In addition, unfavorable presentations, such as crumbled packs or fuzzy product images, influence the perceived quality as well.

This reality was the starting point for founding the ECR Austria task force "Image- & Media-Database" with the clear aim to establish concrete standards for product images within the entire consumer goods industry. Ultimately, ECR is all about creating processes and standards, which provide the customer with a better shopping experience in the end.

In numerous meetings and workshops many well-known representatives of the Austrian grocery trade and the respective manufacturers, involving professionals such as photographers, printing technicians and graphic artists, have created a common understanding of how everyday products should ideally be shot or displayed. This document is a recommendation for uniform creation and transmission of product images. It enables a timely collection and processing by the business partners. Above all, however, the consumer can be offered a better service with a relevant, informative and attractive presentation of the product.

In 2022, the publication was updated to fulfil the international requirements. In 2026, the publication was revised once again to take into account the latest national and international developments.



## 2.

## CHANGE HISTORY

The recommendation has been updated in several versions and adapted each time to reflect changed technical and professional requirements.

In **version 1.0** from November 2017, the chapter “Updates at a glance” was added (see chapter 3). In addition, adjustments were made to the image size and file size (see chapter 8), and the permitted number of clipping points was reduced (see chapter 7).

With **version 2.0** from November 2022, the recommendation for the structured file name format was revised in several sections (see chapter 10 as well as Appendix F and Appendix G). In addition, the quality requirements for the image link were specified more precisely (see chapter 12).

Finally, **version 3.0** from April 2026 includes adjustments to the recommendations regarding file format, file size, colour representation, clipping points and the security of image links. Changes compared to version 2.0 are marked in italics.



## 3.

### UPDATES AT A GLANCE

The participating companies of the service platform "master data" have agreed to provide at least one product image (= one packshot) of each listed industrial brand article in connection with product master data.

Below you will find the most important points regarding the defined minimum requirements for the image file and the image link:

- File format in JPG format recommended (or TIF format<sup>1</sup>).
- File size less than 40 MB
- Color depth min. 24 Bit
- *Color representation in ECI RGB V2 color space*
- Resolution min. 300 ppi
- Image size for longest page 2,401 pixels as lower limit
- ONE single clipping path
- Clipping path must be closed
- Number of clipping points <1000 points
- *Structured file name structure, such as 04012345670004\_C1C1.jpg<sup>2</sup>*
- Image link must be freely accessible and point directly to an image file.
- *Image link must be fully accessible via the HTTPS standard port (443).*
- If a new image file is provided, it is necessary to generate a new unique URL.

All the details of the entire requirements can be found in the following chapters. for Product Images presented in detail.

---

<sup>1</sup> If image files are also provided internationally (e.g. for Germany), we recommend using the JPG format exclusively.

<sup>2</sup> If image files are also provided internationally (e.g. Germany), we recommend exclusively the international structure of the file name (see page XX)



# 4.

## AREAS OF APPLICATION

Product images are used by the business partners for the following areas:

- for presentation of the product in web shops, catalogues or in various offline- or online-marketing-channels (e.g. leaflet, newspaper advertisement, advertising banner etc.)
- for planograms (for filling, sorting or optimizing a shelf)

**Note 1:**  
High quality and attractive product images can only be produced through professional photography and professional image editing (see Appendix A).

# 5.

## PRESENTATION OF A CONSUMER GOOD

In order to best present a fast moving consumer good and to ensure sufficient diversity for the business partners, each manufacturer is recommended to provide more than one product image of the consumer good.

The following are the different variants for representing a consumer article:

### FRONT FACE OF THE CONSUMER GOOD WITHOUT PERSPECTIVE (C1N1)



### FRONT FACE OF THE CONSUMER GOOD WITH PERSPECTIVE (C1C1)



### RIGHT FACE OF THE CONSUMER GOOD WITH PERSPECTIVE (C1R1)



### LEFT FACE OF THE CONSUMER GOOD WITH PERSPECTIVE (C1L1)



**5.**

From the manufacturers point of view, there are products in which it makes sense to provide only one product image for a consumer good.

The manufacturer is responsible for choosing which product images are chosen.

Below is the recommended number of different product images for a consumer good:

### **OPTION A: MINIMUM**

**ONE (1) single product image of the consumer good**

**Variant for depiction:  
C1N1 or C1C1 or C1R1 or C1L1**

### **OPTION B: STANDARD**

**TWO (2) different product images of the consumer good**

Variant for depiction:  
**C1N1 and  
C1C1 or C1R1 or C1L1**

### **OPTION C: PREMIUM**

**FOUR (4) different product images of the consumer good**

Variant for depiction:  
**C1N1 and  
C1C1 and  
C1R1 and  
C1L1**

A complete presentation of the different image categories including naming and assignment can be found in Appendix F.

#### **Note 2:**

Illustrations of the front face must always be made from the same perspective and in the same style (e.g. light setup, plasticity, etc.)

# 6.

## HANDLING OF COMPUTER GENERATED IMAGES

Computer generated images are generally accepted. However, these images must meet the same quality requirements as conventionally photographed and post-processed product images.



See Appendix C for an example of incorrect computer-generated images.

# 7.


## CLIPPING PATH

The product image from the front of the consumer product needs to be provided with only one exact clipping path.

It is recommended to refer to this as "Path 1".

For the rounding tolerance 1 pixel and a maximum of 1000 clipping points are recommended.

It is also recommended to create the clipping path manually (with path tool/pen only) as an automatically generated clipping path does not have the necessary quality in practice.



### Note 3:

Product images without an exact clipping path will not be accepted by the business partners. Even product images that have several different clipping paths are not accepted by the business partners. Clipping paths are not accepted by the business partners.

## 8.

## TECHNICAL REQUIREMENTS FOR AN IMAGE FILE

To meet the technical requirements, the following criteria must be considered:


CRITERIA	DESCRIPTION OF REQUIREMENT
FILE FORMAT	JPG format with a compression factor of 12 in maximum quality.(or TIFF format <sup>3</sup> with LZW compression (TIFF options: Packing software such as ZIP or WinRAR is not allowed; no image pyramid, pixel order interleaved; byte order IBM PC; no layers).
Colour mode	<i>ECI RGB V2 Colour space with 8 bits per channel (24-bit Colour depth)</i>
Resolution	mind. 300 ppi <sup>4</sup> (pixel per inch)
Image Size	For the longest side, the lower limit is 2401 pixels (at 300 ppi).
File Size	An image file may not be larger than <i>40 MB</i> .

The following information must be visible in the metadata of an image file:

CRITERIA	METAFEATURE	REQUIREMENTS
File Format	Element Type	.jpg (or .tif <sup>3</sup> )
	Compression	LZW (applies to JPG files: Quality 12)
Colour mode	Bit Depth	At least 24
	Colour Display	<i>eci RGB v2</i>
Resolution	Horizontal <b>Resolution</b>	At least 300 ppi
	Vertikal <b>Resolution</b>	At least 300 ppi
Image Size	Dimensions (Width, Height)	At least 2.401 Pixel for the longest side
File Size	Size	max. <i>40 MB</i>

<sup>3</sup> If image files are also provided internationally (e.g. for Germany), we recommend using the JPG format exclusively.

<sup>4</sup> ppi (pixels per inch) = dpi (dots per inch)



# 9.

## AESTHETIC REQUIREMENTS FOR AN IMAGE

In addition to the technical requirements, a picture must also meet a number of aesthetic requirements in order to provide high quality and attractive product images.

### 9.1. PRODUCT PACKAGING

It is important that a very conscientious selection of product samples is made. Care must be taken to ensure that the samples are clean and free from damage, that there are no kinks, cracks, damage, fingerprints, affixed labels or similar.

In addition, care must be taken to ensure that products that are foiled do not have bubbles or wrinkles.



## 9.2. BACKGROUND

Generally, the products are presented on a neutral background. Props, aids, people or additional items may not appear on the product image.

In TIFF format, the products are displayed either on a transparent or white background. The white value is the hex value #FFFFFF (RGB: 255, 255, 255) (JPG format only allows a white background).



### Note 4:

Please make sure that both the transparent and the white background always have a single exact clipping path in the image file.

## 9.3. REFLECTIONS & PLASTICITY

Reflections on the product packaging should be realistic in order to give the product packaging a corresponding plasticity.

Disturbing reflections through which, for example, texts on the product packaging can no longer be read, must be avoided.



## 9.4. SHADOWS & REFLECTIONS

The product should not have a shadow or reflection.



If shadows or reflections are visible in the image file despite the recommendation, the image file must necessarily have a clipping path.

For the clipping path, make sure that the shadow or reflection is not within the clipping path.

Furthermore, it must be ensured that the image size (at least 2000 pixels for the longest page) relates exclusively to the product image (without shadow or reflection).

## 9.5. RETOUCHING

Production-specific information, such as best-before date or batch number, is not permitted and must be retouched, regardless of whether this product-specific information is embossed, engraved or printed on the packaging. Retouching should be as seamless and undetectable as possible and be convincing at a minimum of 200% magnification. Article specific labels, e.g. Fairtrade, Bio Austria or UTZ are allowed.

## 9.6. COMPLETE PRODUCT IMAGE

When imaging the front side, the product must be completely visible.



## 9.7. SHARPNESS

Each image should be photographed with great depth of field so that the entire product and the entire text of the product packaging are sharp. Furthermore, it should be ensured that the image was not sharpened in digital image processing too much. Depth of field blur as a stylistic device must not be used. Pixel formation and distortion such as wide-angle shooting or more effect should be avoided.



## 9.8. LIGHT SETUP

The lighting of the product should be uniform and suitable when the image is taken to avoid colour casts, light zones or dark zones on the packaging. It is important that product edges are clearly displayed and do not blur, for example due to over-illumination with the background.



## 9.9. COLOUR

The colours of the product packaging should be as rich, vivid and true to the original as possible. All colours should look balanced and harmonious when viewed in the product. Colour casts are generally to be avoided.



## 9.10. WATERMARKS

There must be no watermarks in the product image.





# 10.

## NAMING AN IMAGE FILE

### 10.1. RECOMMENDATION FOR NAMING THE IMAGE FILE - NATIONAL

We recommend the following structure for naming the image file:



#### GTIN

The first 14 digits of the file name are reserved for the GTIN of the product. For the GTIN-13, the first digit must be filled with a zero. The GTIN-8 is represented in the digits N7 - N14. The leading digits N1 - N6 are to be filled with zeros.


#### Separator

The position X15 represents the separator "\_".

#### Image Category

The positions X16 - X19 describe in coded form, among other things, the product image type, the side view and the perspective.

**Example 1:**



Description of the Image Category	GTIN	SEPERATOR	IMAGE-CATEGORY	File FORMAT
Front view with perspective	09001432046575	—	C1C1	.jpeg

**Example 2:**



Description of the Image Category	GTIN	SEPERATOR	IMAGE-CATEGORY	File FORMAT
Front view without perspective	04062139006663	—	C1N1	.jpeg

## 10.2. RECOMMENDATION FOR THE NAMING THE IMAGE FILE - INTERNATIONAL

If image files are provided for international target markets (e.g. Germany) in addition to Austria, we recommend the following structure:

GTIN														Image Category				Version			Variant					
0	4	0	0	0	0	0	1	0	2	2	3	9	7	-	C	1	C	1	-	s	0	1	-	v	0	1
n1	n2	n3	n4	n5	n6	n7	n8	n9	n10	n11	n12	n13	n14	x15	x16	x17	x18	x19	x20	x21	x22	x23	x24	x25	x26	x27

### GTIN

The first 14 digits of the file name are reserved for the GTIN of the product. For the GTIN-13, the first digit must be filled with a zero. The GTIN-8 is represented in the digits N7 - N14. The leading digits N1 - N6 are to be filled with zeros.

### Separator

The position X15 represents the separator "\_".

### Image Category

The positions X16 - X19 describe in coded form, among other things, the product image type, the side view and the perspective.

### Separator

The position X20 represents the separator "\_".

### Version (consecutive serial numbering in case of relaunch or correction of a product image within an image category).

The consecutive numbering in case of replacement or relaunch (positions X21 - X23) ensures uniqueness if there is an update to an existing product image or a product image of a relaunch with the same GTIN. Here, the value s01 should be used to start.

### Separator

The position X24 represents the separator "\_".

### Variant (consecutive numbering within an image category)


The consecutive numbering of an image category (digits X25 - X27) ensures uniqueness within a category. This is the case, for example, if a manufacturer provides several secondary images from the "Application" category. In this case, the value v01 should be used to start.

For example, images in portrait and/or landscape format, with or without promotion, etc. can be specified for a category.

#### Note 5:

The elements version (s01) and variant (v01) are required for each product figure type and are appended to the respective product category name separated by the separators.

**Example 1:**



Description of the Image Category	GTIN	Seperator	Image Category	Seperator	Version	Seperator	Variant	File Format
Front view with perspective	09001432046575	_	C1C1	_	s01	_	v01	.jpeg

**Example 2:**



Description of the Image Category	GTIN	Seperator	Image Category	Seperator	Version	Seperator	Variant	File Format
Front view without perspective	04062139006663	_	C1N1	_	s01	_	v01	.jpeg



For application examples of using the international file naming convention, see Appendix G.

# 11.


# RECOMMENDATION FOR THE CREATION OF A NEW IMAGE

## 11.1. CREATEING A NEW IMAGE


Here are a few examples that recommend producing a new product image:

EXAMPLES	VISUALIZATION OF EXAMPLES
<p><b>1</b> Change of the graphic presentation of the product packaging</p>	
<p><b>2</b> Changes to the packaging material or packaging size</p>	
<p><b>3</b> Different flavours (seasonal)</p>	


4 Change of the brand name




5 Special Editions (e.g. Anniversary packaging)




6 Change of the product claim for the customer



7 Special promotion filling (e.g. 20% more content)



8 Special seasonal product packaging (Christmas, Easter)





#### In-pack promotion packaging

4

**To consider:**

It is recommended that you also create a new image for in-pack promotion packaging. There may be reasons, such as a short availability period, that make it impossible to create a new product image. The decision is up to the manufacturer.




5

Addition of further language claims on the packaging.

**To consider:**

It is recommended that you create a new image if the additional language claim in the image is visible or legible.





## 12.

### TRANSMISSION OF THE IMAGE FILE

The transmission of the product images takes place in connection with the master data. The master data message (CIN message) contains an URL under which the image file was saved.

To ensure a timely and automated processing of image files by a business partner, the URL used must fulfill the following prerequisites:

- The URL must point directly to a single valid image file.
- By opening the URL, a download of the image file must be started.
- The URL must be fully accessible via the HTTPS standard port (443).
- The URL must not exceed a character length of up to 2000 characters.
- The URL must not be protected by a login.
- When a new image file is deployed, it is necessary to generate a new unique URL.
- The URL may not be restricted in time as long as this URL is communicated in the master data exchange.
- The response time of the server must not be longer than 5 seconds.
- Cache control" is possible, i.e. it can be controlled how long the image data should / may remain in the cache - guide value max. 30 days.
- API accesses via HEAD request must be permitted.

The following attributes are to be filled in combination with master data in the minimum:

ATTRIBUTE	GDSN ATTRIBUTE	EXPLANATION	STATUS
Referenced file type code (M379)	Referenced File Type Code	Description of the (image) file (e.g. product image)	Mandatory
Uniform resource identifier (M378)	Uniform Resource Identifier	Direct reference to the corresponding file	Mandatory
File effective start date time (M417)	File Effective Start Date Time	Earliest time from which the image may be used or shown. No indication means that the image file can be used immediately.	Optional
File effective end date time (M418)	File Effective End Date Time	After this time, the picture may not be shown anymore.	Optional
Content Description (M422)	Content Description	Free-text description of the contents of the file such as front view of the consumer article without perspective.	Optional

Below is a filling example:

ATTRIBUTE	FILLING EXAMPLE
Referenced file type code (M379)	PRODUCT_IMAGE
Uniform resource identifier (M378)	<a href="https://nestle.thirdlight.com/gtin/09002100100414_C1C1.jpg">https://nestle.thirdlight.com/gtin/09002100100414_C1C1.jpg</a> <sup>5</sup>
File effective start date time (M417)	30.08.2023 00:00
File effective end date time (M418)	
Content Description (M422)	Front view of the consumer article without perspective

Further examples can be found in Appendix E.

<sup>5</sup>This is an example link that does not refer to any image file.



## 13.

### TERMS OF USE & COPYRIGHT

Only image files may be provided in which the business partner can be granted an unrestricted right of use. It is therefore important to know the author of the right of use (especially when commissioning external photographers).

A text proposal to clarify the rights of use between manufacturers and producers of images such as external photographers could read as follows:

*"The client is granted a spatial and temporal unrestricted right to use the images created to advertise the product shown offline as well as online or to evict."*

# 14.

## ATTACHMENT

### ATTACHMENT A: EXAMPLES OF PROFESSIONAL PHOTOGRAPHY AND PROFESSIONAL IMAGE PROCESSING

Without professional photography and professional image post-processing, high quality and attractive product images cannot be produced.

Example 1:




Example 2:



## ATTACHMENT B: EXAMPLES OF A BAD CLIPPING PATH

Clipping path is not exactly at the edge of the product:



Clipping path is not exactly at the edge of the product:



## ATTACHMENT C: EXAMPLE OF A DEFECTIVE COMPUTER GENERATED IMAGE

In the graphics program, the generated image was not created carefully enough. In the example, the two product edges do not close exactly.



## ATTACHMENT D: EXAMPLE OF A UNIFORM ILLUSTRATION OF THE FRONT PANEL VIA DIFFERENT RANGE/ VARIANT

When creating product images, it is important to ensure that assortments or different variants are always created from the same perspective and in the same style (e.g. lighting setup, plasticity, etc.) in order to ensure a harmonious group image.



## ATTACHMENT E: EXAMPLES OF THE TRANSMISSION OF AN IMAGE FILE IN THE MASTER DATA EXCHANGE

Further filling examples for the representation of the necessary picture data in the context of the master data exchange.

General recommendations for filling the image data

- When providing image data, it is recommended to use the attributes "File: Valid from (M417)" and "File: Valid until (M418)" to be filled.
- If a new image file is provided, it is necessary to generate a new, unique URL.
- To notify a data fetcher of the end of an image file, it is recommended that the end date be specified in the "File: Valid until (M418)" to be filled.
- Attention: A deletion of an image URL WITHOUT filling the attribute "File: Valid until (M418)" cannot be processed unambiguously by the data retriever and does not lead to deletion of the image file in the data retriever systems!!!
- It is recommended to fill only after expiration of the end date in the attribute "File: Valid until (M418)" to delete the entire expired image data (image URL, etc.) from the master data record.

## Example 1: Product image with immediate validity

ATTRIBUTE	FILLING EXAMPLE
Referenced file type code	PRODUCT_IMAGE
Uniform resource identifier	<a href="https://nestle.thirdlight.com/gtin/09002100100414_C1C1.jpg">https://nestle.thirdlight.com/gtin/09002100100414_C1C1.jpg</a> <sup>6</sup>
File effective start date time	- [No indication means that the image file can be used immediately.]
File effective end date time	-
Content description	-

## Example 2: Product image with validity for a certain period

ATTRIBUTE	FILLING EXAMPLE
Referenced file type code	PRODUCT_IMAGE
Uniform resource identifier	<a href="https://gs1sync.gs1.at/09000331697048_C1N1.jpg">https://gs1sync.gs1.at/09000331697048_C1N1.jpg</a> <sup>6</sup>
File effective start date time	30.08.2023 00:00
File effective end date time	30.08.2024 00:00
Content description	Front view of the consumer article without perspective

## Example 3: Product image with limited validity

ATTRIBUTE	FILLING EXAMPLE
Referenced file type code	PRODUCT_IMAGE
Uniform resource identifier	<a href="https://gs1sync.gs1.at/09000331697048_C1N1.jpg">https://gs1sync.gs1.at/09000331697048_C1N1.jpg</a> <sup>6</sup>
File effective start date time	- [No indication means that the image file can be used immediately.]
File effective end date time	30.08.2024 00:00
Content description	Front view of the consumer article without perspective

<sup>6</sup>This is an example link that does not refer to any image file.

**Example 4: Interaction of master data and image data.**  
**The following is an explanation of the described scenarios:**

**Scenario 0:** Master data without image data was provided for the article.

**Scenario 1:** A product image is added to the existing master data.

**Scenario 2:** A product image already exists and an additional product image is provided for a limited time (promotion period).

ATTRIBUTE	SZENARIO 0	SZENARIO 1	SZENARIO 2
<b>Referenced file type code</b>	-	PRODUCT_IMAGE	PRODUCT_IMAGE
<b>Uniform resource identifier</b>	-	<a href="https://gs1.at/gsync/9054321000011_C1N1.jpg">https://gs1.at/gsync/9054321000011_C1N1.jpg</a> <sup>7</sup>	<a href="https://gs1.at/gsync/9054321000011_C1N1.jpg">https://gs1.at/gsync/9054321000011_C1N1.jpg</a> <sup>7</sup>
<b>File effective start date time</b>	-	01.06.2023 00:00	01.06.2023 00:00
<b>File effective end date time</b>	-	-	-
<b>Referenced file type code</b>	-	-	PRODUCT_IMAGE
<b>Uniform resource identifier</b>	-	-	<a href="https://gs1.at/gsync/9054321000011_C1N1.jpg">https://gs1.at/gsync/9054321000011_C1N1.jpg</a> <sup>7</sup>
<b>File effective start date time</b>	-	-	01.07.2023 00:00
<b>File effective end date time</b>	-	-	30.09.2023 00:00

---

<sup>7</sup>This is an example link that does not refer to any image file.

**Scenario 3a:** The existing product image is deactivated and replaced by a new product image.

ATTRIBUTE	SZENARIO 0	SZENARIO 1	SZENARIO 3A
<b>Referenced file type code</b>	-	PRODUCT_IMAGE	PRODUCT_IMAGE
<b>Uniform resource identifier</b>	-	<a href="https://gs1.at/gsync/9054321000011_1.jpg">https://gs1.at/gsync/9054321000011_1.jpg</a> <sup>8</sup>	<a href="https://gs1.at/gsync/9054321000011_1.jpg">https://gs1.at/gsync/9054321000011_1.jpg</a> <sup>8</sup>
<b>File effective start date time</b>	-	01.06.2023 00:00	01.06.2023 00:00
<b>File effective end date time</b>	-	-	30.09.2023 00:00
<b>Referenced file type code</b>	-	-	PRODUCT_IMAGE
<b>Uniform resource identifier</b>	-	-	<a href="https://gs1.at/gsync/9054321000011_3.jpg">https://gs1.at/gsync/9054321000011_3.jpg</a> <sup>8</sup>
<b>File effective start date time</b>	-	-	01.10.2023 00:00
<b>File effective end date time</b>	-	-	-

**Scenario 3b:** The existing product image is replaced by a new product image (image URL remains the same).

ATTRIBUT	SZENARIO 0	SZENARIO 1	SZENARIO 3B
<b>Referenced file type code</b>	-	PRODUCT_IMAGE	PRODUCT_IMAGE
<b>Uniform resource identifier</b>	-	<a href="https://gs1.at/gtin/9054321000011_1.jpg">https://gs1.at/gtin/9054321000011_1.jpg</a> <sup>8</sup>	<a href="https://gs1.at/gsync/9054321000011_1.jpg">https://gs1.at/gsync/9054321000011_1.jpg</a> <sup>8</sup>
<b>File effective start date time</b>	-	01.06.2023 00:00	01.10.2023 00:00
<b>File effective end date time</b>	-	-	-



<sup>8</sup>This is an example link that does not refer to any image file.






## ATTACHMENT F:

# OVERVIEW OF THE DIFFERENT IMAGE CATEGORIES INCL. EXAMPLES

## PRODUCT IMAGE OF THE CONSUMER ARTICLE

The different views of a consumer item are shown below (item level = base unit or The following illustrations show the different views of a consumer article (article level = basic unit or smallest unit). These images are used for product presentation in the online store or flyer. Especially the side, back, top and bottom views are primarily used for the online store.








DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
front view with perspective / top view	C1C1	PRODUCT_IMAGE	
left view (from diagonal left) with perspective	C1L1		
right view (from diagonal right) with perspective	C1R1		
frontal view without perspective	C1N1		
frontal rear view without perspective	C7N1		
frontal rear view with perspective	C7C1		
frontal side view right without perspective	C8N1		

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
frontal side view right with perspective	C8C1	PRODUCT_IMAGE	
frontal side view left without perspective	C2N1		
frontal side view left with perspective	C2C1		
Bottom view	C9N1		
Upper view	C3N1		



## PRODUCT IMAGE OF THE PACKAGING ARTICLE

The different views of a packaging item are shown below (item level = outer packaging or inner packaging or carton).

These illustrations are used for product presentation in the online store, flyer or for shelf optimization.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
front view with perspective/overview*	C1CA	PRODUCT_IMAGE	
front view with perspective/overview (opened)	C1CM		
left view (from diagonal left) with perspective	C1LA		
left view (from diagonal left) with perspective (opened)	C1LM		
right view (from diagonal right) with perspective	C1RA		
right view (from diagonal right) with perspective (opened)	C1RM		
frontal view without perspective	C1NA		
frontal view without perspective (opened)	C1NM		
frontal rear view without perspective*	C7NA		


\* There are currently no product images for this perspective. The perspective was added for the sake of completeness.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
frontal rear view with perspective*	C7CA	PRODUCT_IMAGE	
frontal side view right without perspective*	C8NA		
frontal side view right without perspective (opened)	C8NM		
frontal side view right with perspective*	C8CA		
frontal side view right with perspective (opened)*	C8CM		
frontal side view left without perspective*	C2NA		
frontal side view left without perspective (opened)*	C2NM		
frontal side view left with perspective*	C2CA		
frontal side view left with perspective (opened)	C2CM		
bottom view*	C9NA		
upper view*	C3NA		
upper view (opened)*	C3NM		

\* There are currently no product images for this perspective. The perspective was added for the sake of completeness.

## PRODUCT IMAGE OF THE PACKAGING ARTICLE

The different views of a packaging item are shown below (item level = display or pallet). These illustrations are used for shelf optimization or for internal retail applications.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
front view with perspective/overview	C1CP	PRODUCT_IMAGE	
left view (from diagonal left) with perspective	C1LP		
right view (from diagonal left) with perspective	C1RP		
frontal view without perspective	C1NP		
frontal rear view without perspective *	C7NP		
frontal rear view with perspective *	C7CP		
frontal side view right without perspective*	C8NP		
frontal side view right with perspective *	C8CP		

\* There are currently no product images for this perspective. The perspective was added for the sake of completeness.





DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
frontal side view left without perspective *	C2NP	PRODUCT_IMAGE	
frontal side view left with perspective *	C2CP		
bottom view*	C9NP		
upper view*	C3NP		

\* There are currently no product images for this perspective. The perspective was added for the sake of completeness.

## PRODUCT IMAGE OF A HERO IMAGE OF A CONSUMER PRODUCT

Below are the different views of a Hero Image of a consumer item (item level = base unit or smallest unit).

Hero image is an image type that was developed specifically for fast-moving consumer goods (FMCG) and consumers should be able to quickly identify key features in the online store: Brand, product type (e.g. shampoo or conditioner), product variant (e.g. Intensive Repair or Color Care) and package size.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
front view with perspective/overview	H1C1	MOBILE_READY_HERO_IMAGE	
Left view (from diagonal left) with perspective*	H1L1		
right view (from diagonal right) with perspective*.	H1R1		
frontal view without perspective	H1N1		
front view with perspective/overview	U1C1	OPTIMISED_HERO_IMAGE	
Left view (from diagonal left) with perspective*	U1L1		
right view (from diagonal right) with perspective*	U1R1		
frontal view without perspective	U1N1		

\* There are currently no product images for this perspective. The perspective was added for the sake of completeness.

## SECONDARY IMAGE TYPES

The different secondary illustration types of consumer articles or packaging articles are shown below (article level = base unit or smallest unit or outer packaging or inner packaging or carton). These images are used for product presentation in the online store or flyer.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
Detail/Technology	F	ZOOM_VIEW	
Social Media	K	SOCIAL_MEDIA_IMAGE	
Composition / Montage - 1 - Front	M1	MONTAGE_IMAGE	
Composition / Montage - 2 - left*	M2		
Composition / Montage - 3 - top*	M3		
Composition / Montage - 7 - back side*	M7		
Composition / Montage - 8 - right*	M8		
Composition / Montage - 9 - bottom*	M9		
Application	N	APPLICATION_IMAGE	

\* There are currently no product images for this perspective. The perspective was added for the sake of completeness.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
Comparison of sizes	Q	PRODUCT_IMAGE	
Ambience/Mood	R	AMBIENCE_MOOD_IMAGE	
Content/Texture	T	CONTENT_TEXTURE_IMAGE	
Sustainability	J	SUSTAINABILITY_IMAGE	
Product images with elements	D		
Sidekick Image	S	SIDEKICK_IMAGE	

# PRODUCT IMAGE OF PACKAGING INFORMATION OF A CONSUMER PRODUCT

The different illustration types of a product package are shown below (article level = basic unit or smallest unit).



These illustrations are used for product presentation in the online store or for quality inspection as part of master data exchange.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
Artwork	L1	PACKAGING_ARTWORK	
Label	L1	PRODUCT_LABEL_IMAGE	
Nutritional value	L2	NUTRITION_FACT_LABEL	
Ingredients list	L4	INGREDIENTS_LABEL	
Certification	L7	CERTIFICATION	
Preparation instruction	L8	PREPARATION_INSTRUCTIONS	
Pet food feeding recommendation	L9	PETFOOD_FEEDING_INSTRUCTIONS	
Safety instructions	L10		
Medication data sheet	L11	DRUG_FACT_LABEL	
Dietary supplement label	L12	SUPPLEMENT_FACT_LABEL	
Lighting product label	L13		

## 360 DEGREE TURN OF A CONSUMER ARTICLE

The different views of a 360-degree turn of a consumer item are shown below (item level = base unit or smallest unit).



These images are used selectively for the product presentation in the online store.

DESCRIPTION OF THE IMAGE CATEGORY (WITHIN THE CLASSIFICATION)	IMAGE CATEGORY	MAPPING IMAGE CATEGORY TO CODE VALUE FILE: CODE OF THE SPECIES [M379]	IMAGE EXAMPLES
2D frontal view with rotation around the vertical axis	E1_R00_C01-24	360_DEGREE_IMAGE	
2D Perspective view with rotation around the vertical axis	E1_R15_C01-24		

## ATTACHMENT G:

### APPLICATION EXAMPLES: STRUCTURE OF THE FILE NAME USING THREE CASES AS AN EXAMPLE




#### CASE 1: STANDARD PRODUCT PERMANENTLY AND A PARALLEL PROMOTION WITH TIME LIMITATION

PRODUCT EXAMPLE	IMAGE NAME							VALID FROM	VALID UNTIL	CONTENT DESCRIPTION
	GTIN	Trenner	Bildkategorie	Trenner	Version <small>(fortlaufende Nummerierung bei Relaunch oder Korrektur einer Produktabbildung innerhalb einer Bildkategorie)</small>	Trenner	Variante			
	N1-N14	X15	X16-X19	X20	X21-X23	X24	X25-X27			
	05900951264672	-	C1N1	-	s01	-	v01	01.01.2023	<empty>	<empty>
	05900951264672	-	C1N1	-	s01	-	v02	04.05.2023	19.09.2023	On-Pack Fußball Promotion

Application example case 1

File: Valid until -date should be specified for promotions directly when posting the product image.





## CASE 2: TEMPORARY PROMOTION WITH DIFFERENT LAYOUTS WITHOUT STANDARD PRODUCT

PRODUCT EXAMPLE	IMAGE NAME							VALID FROM	VALID UNTIL	CONTENT DESCRIPTION
	GTIN	Separat or	IMAGE CATEGORY	Separat or	Version <small>(consecutive numbering in case of relaunch or correction of a product image within an image category)</small>	Separat or	Variant			
	N1-N14	X15	X16-X19	X20	X21-X23	X24	X25-X27			
	05000159452540	-	C1N1	-	s01	-	v01	06.04.2023	01.08.2023	On-Pack Fußball Promotion - Abseits
	05000159452540	-	C1N1	-	s01	-	v02	06.04.2023	01.08.2023	On-Pack Fußball Promotion - Bekloppt
	05000159452540	-	C1N1	-	s01	-	v03	06.04.2023	01.08.2023	On-Pack Fußball Promotion - Abstauber

Application example case 2

File: Valid until -date should be specified for promotions directly when posting the product image.

**CASE 3: STANDARD VERSION PERMANENTLY WITH TWO IMAGE VARIANTS IN DIFFERENT FORMATS (PORTRAIT & LANDSCAPE) AND IN THE TIME SEQUENCE OF A NEW IMAGE VERSION AFTER CHANGE OF THE PRODUCT DESIGN**

PRODUCT EXAMPLE	IMAGE NAME							VALID FROM	VALID UNTIL	CONTENT DESCRIPTION
	GTIN	Separat or	IMAGE CATEGORY	Separat or	Version (consecutive numbering in case of relaunch or correction of a product image within an image category)	Separat or	Variant			
	N1-N14	X15	X16-X19	X20	X21-X23	X24	X25-X27			
	04008429010989	-	C1R1	-	s01	-	v01	01.02.2023	31.01.2024	<empty>
	04008429010989	-	C1R1	-	s01	-	v02	01.02.2023	31.01.2024	<empty>
	04008429010989	-	C1R1	-	s02	-	v01	01.02.2023	<empty>	<empty>
	04008429010989	-	C1R1	-	s02	-	v02	01.02.2023	<empty>	<empty>

Application example case 3

A new product image (e.g. relaunch) replaces the previous standard version. At the same time as setting the new version, the File: Valid until -date must be specified for the previous standard version (previous version).



**GS1 Austria GmbH / ECR Austria**  
Brahmsplatz 3, A-1040 Wien  
+43 (0)1 505 86 01  
ecr@ecr-austria.at  
www.ecr-austria.at

